



NOTE ---

3/4" X 4" BOARDS MAY BE USED FOR THE FLOOR BAFFLES. THESE SHOULD BE FITTED WITH HANDLES TO MAKE REMOVAL EASY.

LOCATION SHOULD BE APPROVED BY THE LOCAL DAIRY INSPECTOR.

SCALE 1/2" = 1'-0" EXCEPT AS NOTED.

NUMBER OF STANCHIONS	DIMENSIONS IN FEET & INCHES ---									
	L	W	D	E	F	G	H	I	J	
24 OR LESS	10'-0"	2'-0"	7"	4'-0"	2'-0"	1'-0"	1'-0"	1'-0"	1'-0"	
25 TO 39	15'-0"	2'-2"	8"	5'-0"	3'-0"	2'-0"	2'-0"	2'-0"	1'-0"	
40 TO 63	22'-0"	2'-6"	8"	6'-0"	4'-0"	3'-0"	3'-0"	3'-0"	1'-0"	
64 TO 87	30'-0"	3'-0"	9"	12'-0"	6'-0"	4'-0"	4'-0"	3'-0"	1'-0"	
88 TO 120	40'-0"	3'-6"	9"	16'-0"	8'-0"	6'-0"	5'-0"	3'-0"	2'-0"	

Dietson N.G. 1946 (Revised)



SCREEN CHAMBER
FOR DAIRY BARN FLUSHINGS

ENGINEER	SCALE		
DRAWN BY	SHEET	OF	
TRACED BY	DATE	NO. 5839	

Disclaimer

This site makes available conceptual plans that can be helpful in developing building layouts and selecting equipment for various agricultural applications. These plans do not necessarily represent the most current technology or construction codes. They are not construction plans and do not replace the need for competent design assistance in developing safe, legal and well-functioning agricultural building system. The LSU Agriculture Center, the Mid-West Plan Service, the United States Department of Agriculture and none of the cooperating land-grant universities warranty these plans.