



BILL OF MATERIALS


- 2 PCS. - $\frac{1}{2}$ " \times 4'-0" \times 8'-0" EXTERIOR PLYWOOD-REMOVABLE SIDES AND TROUGH SIDES.
 - 1 PC. - 2 \times 8 \times 10'-0" - GOOD GRADE FIR - TROUGH BOTTOM AND ENDS.
 - 7 PCS. - 1 \times 2 \times 6 $\frac{3}{4}$ " - CLEATS.
 - 2 PCS. - 1 \times 8 \times 14" - NAILED ON TROUGH ENDS TO PREVENT OVERTURNING.
 - 1 PC. - $\frac{1}{4}$ " \times 1 $\frac{1}{2}$ " \times 23 $\frac{1}{2}$ " - STRAP IRON-CENTER REINFORCING.
 - 2 CARRIAGE BOLTS - $\frac{3}{8}$ " \times 1" - BOLT ON STRAP IRON.
- WATER PROOF GLUE ON ALL WOOD JOINTS.
GALVANIZED NAILS, SPIKES, AND BOLTS.



TOP VIEW




SECTION



SIDE PANEL
(2 REQUIRED)

NOTE: THIS TROUGH IS MADE FOR PORTABILITY. THE HIGH SIDES ARE REMOVABLE. THE CLEATS IN THE BOTTOM OF THE TROUGH SHOULD BE CENTERED PROPERLY FOR THE SIDES TO FIT DOWN AND PROVIDE SUPPORT WHILE IN USE. BY MAKING THIS TROUGH NARROW, THE SHEEP ARE LESS LIKELY TO STRUGGLE TO GET OUT OVER THE SIDES.



ISOMETRIC

SCALE: 1"=1'-0"

BASED ON: OREGON STATE UNIV.
PLAN NO. 96



PORTABLE FOOT BATH
FOR SHEEP

ORE. '72 6142 SHEET 1 OF 1

Disclaimer

This site makes available conceptual plans that can be helpful in developing building layouts and selecting equipment for various agricultural applications. These plans do not necessarily represent the most current technology or construction codes. They are not construction plans and do not replace the need for competent design assistance in developing safe, legal and well-functioning agricultural building system. The LSU Agriculture Center, the Mid-West Plan Service, the United States Department of Agriculture and none of the cooperating land-grant universities warranty these plans.