


CONSULT LOCAL HEALTH AND BUILDING CODE AUTHORITIES BEFORE STARTING CONSTRUCTION

NOTES:
 PROVIDE FOR TWO 12' SLIDING DOORS IN REAR WALLS FOR MOVING BEDDING MATERIAL INTO BEDDED AREAS.
 ALL LOTS TO BE PAVED WITH 4" CONCRETE MIX: 6-6-6 NOT LESS THAN 6 SACKS CEMENT PER CU. YD.
 NOT MORE THAN 6 GAL. WATER PER SACK OF CEMENT
 6% AIR ENTRAINMENT.

PLAN OF FEED LOTS



BASED ON: VPI PLAN NO. SP

LSU AgCenter <small>Research & Extension</small>		
FEEDING UNIT 400 STEERS		
VA.	'75	6210
		SHEET 1 OF 1

Disclaimer

This site makes available conceptual plans that can be helpful in developing building layouts and selecting equipment for various agricultural applications. These plans do not necessarily represent the most current technology or construction codes. They are not construction plans and do not replace the need for competent design assistance in developing safe, legal and well-functioning agricultural building system. The LSU Agriculture Center, the Mid-West Plan Service, the United States Department of Agriculture and none of the cooperating land-grant universities warranty these plans.